

Nierziekten

Electrolyten stoornis (incl. Bartter syndr., Gitelman syndr. en hypomagnesemie)

36

NEF09v21.2

Gennaam	CreV4 (15X)	SSv7 (15X)
CLCNKA	99.8	measurement_percentage15
CLCNKB	100.0	measurement_percentage15
CLDN19	100.0	measurement_percentage15
BSND	100.0	measurement_percentage15
ATP1A1	100.0	measurement_percentage15
KCNJ10	100.0	measurement_percentage15
CACNA1S	100.0	measurement_percentage15
SLC41A1	100.0	measurement_percentage15
EPCAM	100.0	measurement_percentage15
CASR	100.0	measurement_percentage15
CLDN16	100.0	measurement_percentage15
EGF	100.0	measurement_percentage15
SLC9A3	99.3	measurement_percentage15
RRAGD	98.5	measurement_percentage15
SLC26A3	100.0	measurement_percentage15
DGAT1	93.0	measurement_percentage15
TRPM6	99.4	measurement_percentage15
NEUROG3	100.0	measurement_percentage15
PCBD1	98.0	measurement_percentage15
CNNM2	100.0	measurement_percentage15
FXYD2	100.0	measurement_percentage15
KCNJ1	100.0	measurement_percentage15
SCNN1A	100.0	measurement_percentage15
GUCY2C	99.9	measurement_percentage15
CLDN10	100.0	measurement_percentage15
SLC12A1	100.0	measurement_percentage15
SCNN1G	100.0	measurement_percentage15
SCNN1B	100.0	measurement_percentage15
SLC12A3	99.9	measurement_percentage15
HNF1B	100.0	measurement_percentage15
SCN4A	100.0	measurement_percentage15
MYO5B	100.0	measurement_percentage15
SPINT2	100.0	measurement_percentage15
SARS2	100.0	measurement_percentage15
CLCN5	99.9	measurement_percentage15
MAGED2	100.0	measurement_percentage15