

Nierziekten

Jong nierfalen, CKD-Y (inclusief PKD1 en PKD2). NB: MUC1 VNTR Cytosine insertie doorgaans niet aantoonbaar.

256

NEF24v21.1

Gennaam	CreV4 (15X)	SSv7 (15X)
CEP104	100.0	measurement_percentage15
NPHP4	100.0	measurement_percentage15
YRDC	87.3	measurement_percentage15
ZMPSTE24	100.0	measurement_percentage15
MMACHC	100.0	measurement_percentage15
KANK4	100.0	measurement_percentage15
LRIG2	100.0	measurement_percentage15
NOTCH2	99.5	measurement_percentage15
MUC1	96.2	measurement_percentage15
LMNA	100.0	measurement_percentage15
KIRREL	99.0	measurement_percentage15
NOS1AP	99.8	measurement_percentage15
PBX1	100.0	measurement_percentage15
NPHS2	97.1	measurement_percentage15
CFH	98.4	measurement_percentage15
CFHR3	84.7	measurement_percentage15
CFHR1	87.4	measurement_percentage15
CFHR2	90.8	measurement_percentage15
CFHR4	92.4	measurement_percentage15
CFHR5	99.6	measurement_percentage15
REN	100.0	measurement_percentage15
DSTYK	100.0	measurement_percentage15
SLC41A1	100.0	measurement_percentage15
CD46	100.0	measurement_percentage15
NUP133	99.6	measurement_percentage15
AGT	100.0	measurement_percentage15
MTR	100.0	measurement_percentage15
SDCCAG8	100.0	measurement_percentage15
WDR35	99.0	measurement_percentage15
ITSN2	97.9	measurement_percentage15
XDH	100.0	measurement_percentage15
SLC3A1	100.0	measurement_percentage15
WDPCP	98.8	measurement_percentage15
ALMS1	99.9	measurement_percentage15
TPRKB	92.7	measurement_percentage15
ACTG2	100.0	measurement_percentage15
NPHP1	96.6	measurement_percentage15
TTC21B	100.0	measurement_percentage15
BBS5	100.0	measurement_percentage15
MTX2	100.0	measurement_percentage15
TMEM237	100.0	measurement_percentage15
BMPR2	100.0	measurement_percentage15
FN1	100.0	measurement_percentage15
SMARCAL1	100.0	measurement_percentage15

Gennaam	CreV4 (15X)	SSv7 (15X)
BCS1L	100.0	measurement_percentage15
CUL3	100.0	measurement_percentage15
COL4A4	99.8	measurement_percentage15
COL4A3	98.7	measurement_percentage15
ARMC9	100.0	measurement_percentage15
TRAF3IP1	99.9	measurement_percentage15
AGXT	100.0	measurement_percentage15
LZTFL1	93.4	measurement_percentage15
LAMB2	100.0	measurement_percentage15
CACNA1D	100.0	measurement_percentage15
ADAMTS9	99.0	measurement_percentage15
ROBO2	100.0	measurement_percentage15
ARL13B	100.0	measurement_percentage15
ARL6	100.0	measurement_percentage15
IQCB1	100.0	measurement_percentage15
SEC61A1	100.0	measurement_percentage15
NPHP3	98.4	measurement_percentage15
AGTR1	100.0	measurement_percentage15
CLCN2	100.0	measurement_percentage15
DNAJB11	100.0	measurement_percentage15
IL1RAP	100.0	measurement_percentage15
SLC2A9	99.8	measurement_percentage15
CC2D2A	99.8	measurement_percentage15
WDR19	99.9	measurement_percentage15
SCARB2	100.0	measurement_percentage15
FRAS1	100.0	measurement_percentage15
COQ2	99.6	measurement_percentage15
ARHGAP24	100.0	measurement_percentage15
PKD2	100.0	measurement_percentage15
CFI	97.5	measurement_percentage15
BBS7	99.5	measurement_percentage15
BBS12	100.0	measurement_percentage15
NR3C2	100.0	measurement_percentage15
FGA	99.9	measurement_percentage15
FAT1	100.0	measurement_percentage15
MTRR	100.0	measurement_percentage15
C5orf42	99.0	measurement_percentage15
KLHL3	100.0	measurement_percentage15
NR3C1	100.0	measurement_percentage15
E2F3	97.7	measurement_percentage15
DCDC2	99.8	measurement_percentage15
CFB	100.0	measurement_percentage15
TNXB	95.8	measurement_percentage15
DAAM2	100.0	measurement_percentage15
CD2AP	100.0	measurement_percentage15
PKHD1	100.0	measurement_percentage15
TBX18	99.9	measurement_percentage15
PDSS2	99.7	measurement_percentage15
AHI1	100.0	measurement_percentage15
RMND1	97.7	measurement_percentage15

Gennaam	CreV4 (15X)	SSv7 (15X)
BBS9	99.5	measurement_percentage15
ANLN	99.8	measurement_percentage15
MAGI2	95.7	measurement_percentage15
CEP41	100.0	measurement_percentage15
PODXL	99.8	measurement_percentage15
NUP205	100.0	measurement_percentage15
WDR60	99.6	measurement_percentage15
DLC1	99.9	measurement_percentage15
PCM1	99.8	measurement_percentage15
SOX17	100.0	measurement_percentage15
CHD7	99.9	measurement_percentage15
CSPP1	98.3	measurement_percentage15
EYA1	100.0	measurement_percentage15
TMEM67	99.6	measurement_percentage15
C8orf37	100.0	measurement_percentage15
RRM2B	100.0	measurement_percentage15
CYP11B1	100.0	measurement_percentage15
CYP11B2	100.0	measurement_percentage15
KANK1	100.0	measurement_percentage15
FREM1	100.0	measurement_percentage15
IFT74	95.7	measurement_percentage15
GRHPR	100.0	measurement_percentage15
CDK20	100.0	measurement_percentage15
ANKS6	96.7	measurement_percentage15
INVS	100.0	measurement_percentage15
TRIM32	100.0	measurement_percentage15
GSN	99.8	measurement_percentage15
CRB2	100.0	measurement_percentage15
GAPVD1	100.0	measurement_percentage15
LMX1B	100.0	measurement_percentage15
INPP5E	100.0	measurement_percentage15
GATA3	100.0	measurement_percentage15
ITGA8	100.0	measurement_percentage15
CUBN	100.0	measurement_percentage15
PDSS1	95.2	measurement_percentage15
TMEM72	100.0	measurement_percentage15
BICC1	100.0	measurement_percentage15
SGPL1	100.0	measurement_percentage15
FAM149B1	100.0	measurement_percentage15
PLCE1	100.0	measurement_percentage15
TCTN3	100.0	measurement_percentage15
HOGA1	100.0	measurement_percentage15
HPSE2	100.0	measurement_percentage15
PAX2	100.0	measurement_percentage15
TRIM8	100.0	measurement_percentage15
CYP17A1	100.0	measurement_percentage15
BBIP1	100.0	measurement_percentage15
CD151	100.0	measurement_percentage15
WT1	99.9	measurement_percentage15
NUP160	100.0	measurement_percentage15

Gennaam	CreV4 (15X)	SSv7 (15X)
TMEM138	100.0	measurement_percentage15
TMEM216	100.0	measurement_percentage15
GANAB	100.0	measurement_percentage15
SLC22A12	99.9	measurement_percentage15
BBS1	100.0	measurement_percentage15
TRPC6	96.5	measurement_percentage15
APOA1	100.0	measurement_percentage15
CEP164	100.0	measurement_percentage15
HYLS1	100.0	measurement_percentage15
KCNJ5	100.0	measurement_percentage15
WNK1	100.0	measurement_percentage15
SCNN1A	100.0	measurement_percentage15
PTPRO	99.5	measurement_percentage15
TENC1	100.0	measurement_percentage15
AVIL	100.0	measurement_percentage15
GRIP1	100.0	measurement_percentage15
NUP107	99.9	measurement_percentage15
LYZ	100.0	measurement_percentage15
BBS10	100.0	measurement_percentage15
CEP290	84.8	measurement_percentage15
POC1B	99.1	measurement_percentage15
CEP83	89.7	measurement_percentage15
IFT81	99.3	measurement_percentage15
TCTN1	97.3	measurement_percentage15
TCTN2	100.0	measurement_percentage15
FREM2	100.0	measurement_percentage15
PIBF1	98.7	measurement_percentage15
OSGEP	100.0	measurement_percentage15
SLC7A7	100.0	measurement_percentage15
FAM179B	99.8	measurement_percentage15
KIAA0586	99.8	measurement_percentage15
DACT1	99.2	measurement_percentage15
SIX1	100.0	measurement_percentage15
COQ6	100.0	measurement_percentage15
VIPAS39	100.0	measurement_percentage15
TTC8	96.0	measurement_percentage15
AMN	100.0	measurement_percentage15
INF2	96.5	measurement_percentage15
FAN1	100.0	measurement_percentage15
MAPKBP1	100.0	measurement_percentage15
B2M	100.0	measurement_percentage15
GATM	100.0	measurement_percentage15
MYO1E	100.0	measurement_percentage15
BBS4	100.0	measurement_percentage15
WDR73	100.0	measurement_percentage15
VPS33B	100.0	measurement_percentage15
CACNA1H	98.9	measurement_percentage15
PKD1	96.9	measurement_percentage15
TRAP1	99.8	measurement_percentage15
GLIS2	100.0	measurement_percentage15

Gennaam	CreV4 (15X)	SSv7 (15X)
ALG1	99.5	measurement_percentage15
PMM2	100.0	measurement_percentage15
EMP2	100.0	measurement_percentage15
MYH11	100.0	measurement_percentage15
UMOD	100.0	measurement_percentage15
SCNN1G	100.0	measurement_percentage15
SCNN1B	100.0	measurement_percentage15
KIAA0556	100.0	measurement_percentage15
ZNF423	100.0	measurement_percentage15
SALL1	100.0	measurement_percentage15
RPGRIP1L	96.9	measurement_percentage15
BBS2	100.0	measurement_percentage15
NUP93	100.0	measurement_percentage15
HSD11B2	88.7	measurement_percentage15
TMEM231	100.0	measurement_percentage15
FOXC2	100.0	measurement_percentage15
APRT	100.0	measurement_percentage15
CTNS	99.1	measurement_percentage15
TMEM107	100.0	measurement_percentage15
B9D1	100.0	measurement_percentage15
NEK8	100.0	measurement_percentage15
HNF1B	100.0	measurement_percentage15
WNK4	100.0	measurement_percentage15
SLC4A1	100.0	measurement_percentage15
ITGA3	100.0	measurement_percentage15
DGKE	99.2	measurement_percentage15
MKS1	100.0	measurement_percentage15
ACE	100.0	measurement_percentage15
NUP85	100.0	measurement_percentage15
ITGB4	99.2	measurement_percentage15
ARHGDIA	100.0	measurement_percentage15
MOCOS	100.0	measurement_percentage15
C3	100.0	measurement_percentage15
KANK2	100.0	measurement_percentage15
SLC7A9	100.0	measurement_percentage15
NPHS1	100.0	measurement_percentage15
ACTN4	100.0	measurement_percentage15
SARS2	100.0	measurement_percentage15
ADCK4	100.0	measurement_percentage15
B9D2	100.0	measurement_percentage15
APOE	99.9	measurement_percentage15
SIX5	99.5	measurement_percentage15
MKKS	100.0	measurement_percentage15
JAG1	100.0	measurement_percentage15
KIF3B	100.0	measurement_percentage15
MAFB	100.0	measurement_percentage15
TP53RK	100.0	measurement_percentage15
STX16	100.0	measurement_percentage15
ITSN1	99.8	measurement_percentage15
APOL1	100.0	measurement_percentage15

Gennaam	CreV4 (15X)	SSv7 (15X)
MYH9	99.7	measurement_percentage15
IFT27	100.0	measurement_percentage15
XPNPEP3	100.0	measurement_percentage15
ATXN10	100.0	measurement_percentage15
OFD1	99.1	measurement_percentage15
CLCN5	99.9	measurement_percentage15
GLA	100.0	measurement_percentage15
NXF5	99.9	measurement_percentage15
TBC1D8B	100.0	measurement_percentage15
COL4A5	99.7	measurement_percentage15
OCRL	98.6	measurement_percentage15
MAP7D3	94.9	measurement_percentage15